

Sample Site, Sample Street, Anytown, UK

Key results

V

No key issues found

For information

(i) Flooding

page 8 >

i Infrastructure

page 15 >

(i) Ground stability

page 13 >

(i) Planning applications

page 27 >

Also searched

Contaminated land liability

✓ Coal mining (CON29M)

Other mining (non-coal)


✓ Radon

Planning constraints



Physical risks

ClimateIndex[™] projects changes in physical risks from **flooding, ground stability** and **coastal erosion**. Please see <u>page 5</u> > for details and guidance.



Transition risks

ClimateIndex[™] covers transition risks including energy efficiency. Please see page 6 > for details.

Site Plan







Ref: Sample_Avista Your ref: Sample_Avista Grid ref: 123456 123456 Date: 20 February 2025







To save you time when assessing the report, we only provide maps and data tables of features we have identified to be of note.

You can view a full list of the information we have searched on page 33 >.

Useful contacts

London Borough of Bexley:
http://www.bexley.gov.uk/
customer.services@bexley.gov.uk
20.8303
7777

Environment Agency National Customer Contact Centre (NCCC): enquiries@environment-agency.gov.uk <a href="mailto:2007.000/2007.0000/2007.0000/2007.0000/2007.0000/2007.0000/2007.0000/2007.0000/2007.0000/2007.0000/2007.0000/2007.0000/2007.0000/2007.0000/2007.0000/2007.0000/2007.0000/2007.0000/2007.00000/2007.0000/2007.0000/2007.0000/2007.0000/2007.0000/2007.0000/2007.0000/2007.0000/2007.0000/2007.0000/2007.0000/2007.0000/2007.0000/2007.0000/2007.0000/2007.0000/2007.0000/2007.0000/2007.000000/2007.0000/2007.0000/2007.0000/2007.0000/2007.0000/2007.0000/2007.0000/2007.0000/2007.00000/2007.0000/2007.0000/2007.0000/2007.

Key results

No key results requiring immediate attention have been identified.

For information

These are findings to be aware of that do not necessarily require immediate action.



Flooding

Groundwater Flooding

A risk of groundwater flooding has been identified at the site. This will be more of an issue for properties with a basement or other section below ground. Further guidance on groundwater flooding has been produced by the Environment Agency and can be found at https://www.gov.uk/guidance/groundwater-flooding

Contact us with any questions at:

info@groundsure.com ↗

01273 257 755



Ground stability

The property is indicated to lie within an area that could be affected by natural instability.





Next steps for consideration:

- if a survey has been undertaken at the property that considers ground instability and no issues were found, no further action is required
- however, based on the findings of this report, the purchaser should be encouraged to consider
 potential instability in any future development or alteration of the ground including planting and
 removing trees, and regardless of the survey outcome
- if no survey has yet been undertaken, we recommend one is carried out by a suitably qualified and experienced person
- if ground instability issues have been or are subsequently identified in a survey we recommend following any advice given in the survey findings
- if the property is in an area at risk of shrink-swell subsidence and has clay drainage pipes, consideration should be given to replacing these with a modern equivalent
- if a residential property, check whether it benefits from an NHBC guarantee or other builder warranty that often covers structural issues. Please note the presence of an NHBC guarantee wouldn't change the risk assessment of this report.



Transportation

Railways

The property lies within 250m of an active railway.

Next steps for consideration:

• consider visiting the property at different times of day and night in order to gauge relative noise and vibration levels that may result from normal operations. It may also be prudent to check the operational hours for the relevant line(s) and check whether structural surveys at the property have considered the potential for vibration from trains to have resulted in property damage

Underground

The property lies between 100m and 250m of an underground railway or DLR line.

Next steps for consideration:

it is not considered that noise or vibration from the line should have any significant impact on the
property. However, noise from overground sections of the line can travel significantly further than noise
from underground sections. Please check the maps and data within this report to find the locations of
overground parts of the line(s) in proximity







Energy

Wind

Existing or proposed wind installations have been identified within 5km.

Next steps for consideration:

- use the details given in the report to find out more about the potential impacts on the property
- contact the operating company and the relevant Local Authority for further information
- visit the area in order to more accurately assess the impact this wind development would have on the property

Solar

Existing or proposed solar installations have been identified within 5km of the property.

Next steps for consideration:

- use the details given in the report to find out more about the potential impacts on the property by contacting the operating company and/or Local Authority
- visit the area in order to more accurately assess the impact this solar farm would have on the property

Power stations

One or more Power Stations have been identified within 5km of the property.

Next steps for consideration:

- visit the power station operator's website for further information. Many power stations have large amounts of information on their local impacts available on the operator's website
- additionally, you could contact the Air Quality team of the Local Authority which may hold additional information regarding any air quality impacts in the area
- if a nuclear installation has been identified, consider visiting <u>www.onr.org.uk/regulated-sites.htm</u>

 ¬ for further information on the site

Projects

One or more nationally significant energy infrastructure projects has been identified within 5km of the property.

Next steps for consideration:

 visit the National Infrastructure Planning website at <u>infrastructure.planninginspectorate.gov.uk/projects/</u> ¬, where further details on nationally significant infrastructure projects, including environmental impact assessments, can be found



Ref: Sample_Avista Your ref: Sample_Avista Grid ref: 123456 123456

(4)



ClimateIndex™ physical risks



Our ClimateIndex™ provides a climate score for your property, and projects changes in physical risks from flooding, natural ground stability and coastal erosion. Climate change could have a significant medium to longer term impact on your property, which may be increasingly considered by your lender if you are arranging a mortgage. Physical risks are those that can cause direct damage or loss to your property but they can also give rise to transition risks such as impacting on the ability to insure or mortgage the property.

ClimateIndex™

The risks with the greatest impact on the overall ClimateIndex™ are positioned first in the list(s) below. Any risks that have not been identified at the site have been omitted.





Rating key



The ClimateIndex™ (A-F) is an overall illustration of the potential impact from the physical risks covered in this assessment - flooding from numerous sources, ground stability and coastal erosion.

ClimateIndex™ guidance and next steps

Even though there are no further actions necessary at this time, the following links will help provide you with further information about the climate change risks dealt with in this report.

- Click here

 ✓ for more information on climate change risks, our methodology and limitations
- See the <u>.GOV website</u> 7 for updates on the governments policy on reaching Net Zero by 2050

Contact us with any questions at:

info@groundsure.com ↗

01273 257 755



Let's talk about climate

For more information on ClimateIndex™ or our climate related recommendations call us on: 01273 257 755

See our <u>ClimateIndex™ clauses</u> *¬* here for actionable guidance on risks associated with climate change



ClimateIndex™ transition risks

Energy Performance

An Energy Performance Certificate (EPC) contains information about a property's energy use and typical energy costs, alongside recommendations about how to reduce energy use and potentially save money. An EPC also contains an energy efficiency rating: from A (most efficient) to G (least efficient). EPC certificates are valid for 10 years or until a newer EPC is produced. If your certificate is out of date it will need to be renewed when you wish to sell a property or let to a new tenant.

We have found an EPC relating to Sample Site, Sample Street, Anytown, UK UPRN: 100020232869

Current EPC rating

C|71

Certificate date: Valid until:

10th July 2033 11th July 2023

Property type: Floor area:

Mid-Terrace house 99 sq m

for more detail.

92+

B 81-91

69-80

D 55-68

E 39-54

21-38

1-20

Average rating for similar properties in your area

63

We have calculated the average rating in your area and determined that this property is above the average score for similar type properties of similar size.



Potential EPC rating



An energy assessor has determined the potential level of energy efficiency that could be achieved at the property.

Total cost to improve EPC rating:

Contact us with any questions at:

info@groundsure.com ↗

01273 257 755

£7,850 - £11,950



Your EPC assessor has provided the following next steps to improve the energy efficiency of your home:

Step	Recommended measures	Indicative cost
Step 1	Heating controls (room thermostat)	£350 - £450
Step 2	Solar water heating	£4,000 - £6,000
Step 3	Solar photovoltaic panels	£3,500 - £5,500

Letting and energy efficiency regulations

Minimum Energy Efficiency Standards (MEES) require all rented properties let in England and Wales to have a minimum EPC rating of 'E'.

If the property has an EPC rating of D or E it is important that you consider required or planned retrofit costs against any anticipated equity gain.

Conversely, if energy efficiency is improved at the property through investment in recommended measures, you may be able to unlock improved rates through the increasing number of green mortgages on the market from lenders. A number are now looking at incentivising landlords to invest in energy improvement measures, including reduced or tapered rates once works have been completed. This may have a beneficial effect on the annual profitability of the rental.

Given the general aspiration to move towards a net zero economy, tightening of the requirements imposed around energy efficiency should be anticipated and considered.

Government guidelines and proposals are summarised below. However, it should be noted that recent announcements from the government indicate that these standards could be subject to change or be scrapped entirely. While this reflected genuine concerns about retrofitting costs at a time of living cost rises, there is a clear financial benefit in also ensuring that the property could have a range of energy improvement measures fitted to it to save on energy bills.



Properties can be exempt from these requirements though this may not pass to the new owner or landlord upon sale. Any exemptions will need to be registered on the PRS Exemptions Register. Click here ↗ for more information on exemptions and how to register them.





Environmental summary



Environmental searches are designed to ensure that significant hazards and risks associated with this property are identified and considered alongside the investment in or purchase of a property. Please see the guidance and next steps on page 2 > for further advice.



Contaminated Land

No significant concerns have been identified as a result of the contaminated land searches.

Contaminated Land Liability	Passed
Past Land Use	Passed
Waste and Landfill	Passed
Current and Recent Industrial	Passed



Flooding

Property's overall risk assessment for river, coastal, surface water and groundwater flooding is low-moderate.

River and Coastal Flooding

Groundwater Flooding

Surface Water Flooding

Past Flooding

Flood Storage Areas

Very Low

Moderate

Negligible

Identified

Not identified

FloodScore™ insurance rating

Very Low




Radon

Local levels of radon are considered normal. However, if an underground room makes up part of the accommodation, the property should be tested regardless of radon Affected Area status. Not in a radon affected area



Flooding / Risk of flooding from rivers and the sea





Historical flood areas

Large scale flooding has been recorded in the area where the property is located in the past.

A record of a flood in previous years does not mean that an area will flood again, especially as this information does not take account of flood management schemes and improved flood defences. Equally, absence of a historic flood event for an area does not mean that the area has never flooded, but only that it doesn't appear in Environment Agency national data. This information is collated from a database showing the individual footprint of every historic flood recorded by the Environment Agency. Please note this doesn't include records held by individual local offices.

As flood risks may or may not have changed, this requires further investigation.

Distance	Direction	Date of Flood	Flood Source	Flood Cause	Type of Flood
0	on site	1953-01-31 1953-02-01	Sea	Operational failure/breach of defence	Tidal





Flooding / Flood defences



Reduction in Risk of Flooding from Rivers and Sea due to Defences

The property is located in an area whereby the risk of flooding from rivers or sea is reduced due to the presence of flood defences. These areas would flood if the defence were not present, but may not do so as it is.


We recommend discussing all flood defence in place as part of your discussions with insurance providers.

Details of flood defences and any areas of reduced river/sea flooding risk due to defences can be seen on the Risk of Flooding from Rivers and the Sea Map.



Flooding / Groundwater flooding





Ambiental data indicates that the property is in an area with a moderate risk of groundwater flooding. Should a 1 in 100-year groundwater flood event occur, groundwater levels may affect basement areas. Properties without basements are not considered to be at risk from this level of groundwater flooding.

Some of the responses contained in this report are based on data and information provided by the Natural Environment Research Council (NERC) or its component body British Geological Survey (BGS). Your use of any information contained in this report which is derived from or based upon such data and information is at your own risk. Neither NERC nor BGS gives any warranty, condition or representation as to the quality, accuracy or completeness of such information and all liability (including for negligence) arising from its use is excluded to the fullest extent permitted by law. Your use of the data/report/assessment constitutes your agreement to bring no claim against NERC or BGS in connection with it.

Contact us with any questions at:

info@groundsure.com ↗

01273 257 755



Non-coal mining summary





Mining records

No records relating to recorded mining areas or activity have been identified in the vicinity of the site.

Mining features Not identified Not identified Mine plans **Researched mining** Not identified **BritPits** Not identified Not identified **Mineral Planning Areas** Non-coal mining areas Not identified Mining cavities Not identified Not identified **Coal mining areas Brine areas** Not identified Not identified **Gypsum** areas Not identified Tin mining areas



Historical features

Historical mapping has identified mining features in the vicinity of the site but these are not considered to be of note.

Non-coal mining Coal and associated mining Industry associated with mining Identified
Not identified

Not identified



Geological features

No geological features indicative of mining activity or other sources of ground instability have been identified in the vicinity of the site. Artificial and made ground Mineral veins

Not identified Not identified



Ground stability summary





Natural instability

Searches of natural ground stability data have identified potential ground stability risks.

See <u>page 14</u> > for details and <u>page 2</u> > for recommended next steps.

Shrink-swell hazard Natural ground subsidence Landslides

Natural cavities Coastal erosion Low

High
Not identified
Not identified
Not identified



Infilled land

No recorded areas of infilled land or landfill have been identified in the vicinity of the site.

Infilled land
Historical landfill sites

Not identified Not identified



Sinkholes

No records of sinkholes have been identified in the vicinity of the property.

Reported recent incidents
Recorded incidents (Stantec)
Historical incidents

Not identified Not identified Not identified



Ground stability / Compressible deposits





Compressible deposits

The potential hazard presented by types of ground that may contain layers of very soft materials like clay or peat and may compress if loaded by overlying structures, or if the groundwater level changes, potentially resulting in depression of the ground and disturbance of foundations.

Location	Hazard rating	Details
On site	High	Highly compressible strata present. Significant constraint on land use depending on thickness.

This data is sourced from the British Geological Survey.





Transportation summary





HS₂

No results for Phase 1 or Phase 2 of the HS2 project (including the 2016 amendments) have been identified within 5km of the property. However, HS2 routes are still under consultation and exact alignments may change in the future.

Visual assessments are only provided by Groundsure if the property is within 2km of Phase 1 and 2a. Other assessments may be available from HS2.

HS2 Route	Not identified
HS2 Safeguarding	Not identified
HS2 Stations	Not identified
HS2 Depots	Not identified
HS2 Noise	Not assessed
HS2 Visual impact	Not assessed



Crossrail

The property is not within 250 metres of the Crossrail 2 project.

Crossrail 2 Route	Not identified
Crossrail 2 Stations	Not identified
Crossrail 2 Worksites	Not identified
Crossrail 2 Safeguarding	Not identified
Crossrail 2 Headhouse	Not identified



Other Railways

Our search indicates the property is within 250 metres of railways or railway stations, subway or DLR lines, active railways, historical railways or tunnels.

The Underground assessment includes London Underground, DLR, Tyne and Wear Metro, Merseyrail and Glasgow Subway.

Please see the guidance and next steps on page 2 > for further advice. Additionally, see page 16 > for details of the identified issues.

Active Railways and Tunnels Historical Railways and Tunnels Railway and Tube Stations Underground


Identified Identified

Not identified **Identified**



Transportation / Railways and Underground





Active railways

The property is within 202 metres of an active railway line. Noise from railways varies significantly depending on the condition of the track, the conditions of the trains using the track and the speed of travel.

Groundsure suggests that you visit the property at different times of day in order to gauge the relative noise levels at and around the property. Defra noise maps may also offer an indication of general noise levels in the area, though cannot be used to assess the levels within an individual property. In the future, if you consider the property to be affected by railway noise from passenger trains, Network Rail may be able to assist in investigating this.

Historical railway infrastructure

The property is situated within 250m of a railway or tunnel feature identified on historical mapping. Please note that many historical railways noted in this section will still be in use today.

Please note that for reasons of clarity only the closest record identified will be shown in the table below, though the full extent of records identified can be seen on the map.







Distance	Direction	Feature	Year
208 m	S	Railway Sidings	1909

London Underground and DLR lines

The property is situated within 250m of London Underground lines or the Docklands Light Railway.

Distance	Direction	Approx.depth (m)	Track Type	Name	Running times
207 m	S	0	Surface Track	Elizabeth Line	Mon-Thu: Early 0500 Late 0111, Fri: Early 0523 then a 24h service until Sun, Sun: Late 0001

Ref: Sample_Avista Grid ref: 123456 123456



Energy summary





Oil and gas

No historical, active or planned wells or extraction areas have been identified near the property.

Oil and gas areas
Oil and gas wells

Not identified Not identified



Wind and Solar

Our search of existing and planned renewable wind and solar infrastructure has identified results.

Please see the guidance and next steps on <u>page 2</u> > for further advice. Additionally, see <u>page 19</u> > for details of the identified issues.

Planned Multiple Wind Turbines

Planned Single Wind Turbines
Existing Wind Turbines
Proposed Solar Farms
Existing Solar Farms

Identified

Identified
Identified
Not identified
Identified



Energy

Our search of major energy transmission or generation infrastructure and nationally significant infrastructure projects has identified results.


Please see the guidance and next steps on <u>page 2</u> > for further advice. Additionally, see <u>page 25</u> > for details of the identified issues.

Power stations Energy Infrastructure Projects Identified
Not identified
Identified



Energy / Wind and solar





Wind farms

An active wind farm, group of turbines or individual wind turbine has been identified within 5,000m of the property. See below for details of the operating company, number of turbines, project and turbine capacity.

ID	Distance	Direction	Details	
1	1-2 km	NE	Site Name: Crossness Sewage Treatment Works, Belvedere Road, London Operator Developer: Thames Water Utilities Ltd Status of Project: Operational	Type of project: Onshore Number of Turbines: 1 Turbine Capacity: 2.3MW Total project capacity: 2.3 Approximate Grid Reference: 548768, 180326

Contact us with any questions at:

info@groundsure.com ↗

01273 257 755



ID	Distance	Direction	Details	
10	3-4 km	NE	Site Name: Dagenham II, Ford Motors, Dagenham Estate, London Operator Developer: Ecotricity Group Ltd Status of Project: Operational	Type of project: Onshore Number of Turbines: 1 Turbine Capacity: 2.3MW Total project capacity: 2.3 Approximate Grid Reference: 550354, 181508
11	3-4 km	NE	Site Name: Dagenham, Ford Motors, Dagenham Estate, London Operator Developer: Ecotricity Group Ltd Status of Project: Operational	Type of project: Onshore Number of Turbines: 2 Turbine Capacity: 1.8MW Total project capacity: 3.6 Approximate Grid Reference: 549799, 182171
16	4-5 km	Е	Site Name: Erith - Aggregate Industries, Erith Works, Manor Road, Erith, South East Operator Developer: AGR Power Ltd Status of Project: Operational	Type of project: Onshore Number of Turbines: 1 Turbine Capacity: 0.5MW Total project capacity: 0.5 Approximate Grid Reference: 552580, 177846
18	4-5 km	NW	Site Name: Beckton Sewage Treatment Works, Jenkins Lane, East Ham, London Operator Developer: Thames Water Utilities Ltd Status of Project: Operational	Type of project: Onshore Number of Turbines: 1 Turbine Capacity: 2.3MW Total project capacity: 2.3 Approximate Grid Reference: 544248, 182389

This data is sourced from the UK Wind Energy Database supplied by Renewable UK. Groundsure recommends further independent research with Renewable UK of any sites of interest to determine exact locations and details of the projects.

Proposed wind farms

A wind farm or group of turbines or individual wind turbine has been proposed within 5,000m of the property. See below for details of the operating company, number of turbines, project and turbine capacity.

Please note some planning applications identified as having been refused, may have subsequently been granted on appeal without appearing as such within this report. Additionally, please be aware that as the identified records are taken from a planning record archive, the proposals identified may have already been undertaken.

Contact us with any questions at:

info@groundsure.com ↗

01273 257 755

Ref: Sample_Avista Grid ref: 123456 123456



ID	Distance	Direction	Details	
15	4-5 km	N	Site Name: Dagenham, Barking & Dagenham, Essex, RM9 6S Planning Application Reference: 03/00201/FUL Type of Project: Wind Farm	Application Date: 2003-03-07 Planning Stage: Plans Approved Detail Plans Granted Project Details: The scheme is to comprise the provision of three 1.8MW wind turbines and all associated works. One of the turbines is to have a 65 m high viewing platform. The turbines have been designed by Sir Nor Approximate Grid Reference: 548940, 183548

This information is derived from planning data supplied by Serac Tech and Glenigan, in some cases with further accuracy applied by Groundsure's experts. This search includes planning applications for wind farms with multiple turbines within 5,000m of the property. This data is updated on a quarterly basis. If the existence of a planning application, passed or refused may have a material impact with regard to the decision to purchase the property, Groundsure recommends independent, thorough enquiries are made with the Local Authority. If any applications have been identified within this report, Groundsure have included the planning reference to enable further enquiries to be made.

Proposed wind turbines

Planning applications for individual wind turbines have been proposed within 5,000m of the property. See below for details of the operating company, number of turbines, project and turbine capacity.

Please note some planning applications identified as having been refused may have subsequently been granted on appeal without appearing as such within this report. Additionally, please be aware that as the identified records are taken from a planning record archive, the proposals identified may have already been undertaken.

ID	Distance	Direction	Details	
2	1-2 km	N	Site Name: Crossness STW, Belvedere Road, London, SE2 9AQ Planning Application Reference: 08/03936/FULEAMIN Type of Project: Sewage Treatment Works/Wind Turbine	Application Date: 2011-04-08 Planning Stage: - Project Details: Scheme comprises minor amendment to the extension to sewage treatment works including additional buildings, plant and tanks, the installation of a 2.5MW wind turbine 86 metre height to hub, 90 metre diameter blades and mitigation works including creation Approximate Grid Reference: 548165, 180730



ID	Distance	Direction	Details	
3	1-2 km	N	Site Name: Crossness Sewage Treatment Wor, Belvedere Road, London, Bexley, Central London, SE2 9AQ Planning Application Reference: 08/03936/FULEAMIN02 Type of Project: Wind Turbine & Sewage Treatment Works (New/Extensi	Application Date: 2013-03-29 Planning Stage: Plans Approved Detail Plans Granted Project Details: Scheme comprises minor amendment for the extension to sewage treatment works including additional buildings, plant and tanks, the installation of a 2.5 megawatt wind turbine 86 metre height to hub, 90 Approximate Grid Reference: 548165, 180730
5	1-2 km	E	Site Name: Belvedere Community Centre, Mitchell Close, Belvedere, Bexley, Kent, DA17 6AA Planning Application Reference: 08/01060/FUL Type of Project: Wind Turbine	Application Date: 2008-01-10 Planning Stage: Plans Approved Detail Plans Granted Project Details: Scheme comprises provision of a wind turbine to rear of building. Approximate Grid Reference: 549956, 179151
7	2-3 km	W	Site Name: 133 Nathan Way, West Thamesmead Buss Park, Tha, London, Greenwich, Central London, SE28 0AB Planning Application Reference: 05/0924/F Type of Project: Wind Turbine	Application Date: 2005-03-20 Planning Stage: Plans Approved Detail Plans Granted Project Details: Scheme comprises construction of a 5.57 metre wind turbine blade mounted on a 9 metre tower and ancillary equipment. Approximate Grid Reference: 545714, 179468
8	2-3 km	E	Site Name: Pirelli, Church Manorway, Erith, Bexley, Kent, DA8 1HS Planning Application Reference: 07/17924/FUL Type of Project: Wind Turbine	Application Date: 2007-12-27 Planning Stage: Plans Approved Detail Plans Granted Project Details: Scheme comprises construction of 45 metre tall wind turbine with associated works. Approximate Grid Reference: 550613, 179135
9	2-3 km	N	Site Name: 75 - 77 Chequers Lane, Dagenham, Barking & Dagenham, Essex, RM9 6QJ Planning Application Reference: 07/00755/FUL Type of Project: Wind Turbine	Application Date: 2007-07-05 Planning Stage: Early Planning Detailed Plans Submitted Project Details: Scheme comprises construction of an extension in connection with the part conversion of the premises into a biomass renewable energy turbine house. Approximate Grid Reference: 548902, 182072



ID	Distance	Direction	Details	
12	3-4 km	NE	Site Name: Ford Motor Company Ltd Thames Avenue, (The River Thames At), Dagenham, RM9 6SA Planning Application Reference: U0009.09 Type of Project: Wind Turbine	Application Date: 2009-04-02 Planning Stage: Plans Approved Detail Plans Granted Project Details: Scheme comprises installation of 1 wind turbine with a maximum tip height of 120 metres, together with a short access track and temporary construction compound. Approximate Grid Reference: 549681, 182786
13	3-4 km	W	Site Name: Unit 9, The I O Centre, Skeffington Street, Dawsetway Ltd, London, Greenwich, Central London, SE18 6SR Planning Application Reference: 06/2894/F Type of Project: Wind Turbine	Application Date: 2006-11-24 Planning Stage: Plans Approved Detail Plans Granted Project Details: Scheme comprises construction of a wind turbine on roof of building. Approximate Grid Reference: 544230, 179048
14	4-5 km	E	Site Name: Aggregate Industries UK Ltd Manor Road, Erith Works, Erith, DA8 2AD Planning Application Reference: 12/00230/FUL Type of Project: Wind Turbine	Application Date: 2012-02-03 Planning Stage: Plans Approved Detail Plans Granted Project Details: Scheme comprises construction and operation of single powerwind 500 (500kw) wind turbine with associated transformer housing and cabling to sub-station, and temporary crane hard- standing/lay-down areas. Approximate Grid Reference: 551873, 177767
17	4-5 km	NW	Site Name: Dagenham Motors Ripple Road, Barking, IG11 9PG Planning Application Reference: 10/00991/FUL Type of Project: Wind Turbine	Application Date: 2011-03-01 Planning Stage: Plans Approved Detail Plans Granted Project Details: Scheme comprises replacement of 22.5 metre high 50kW wind turbine with 25 metre high (hub height) 50kW wind turbine (34.2 metre high to blade tip). Approximate Grid Reference: 545997, 183780

This information is derived from planning data supplied by Serac Tech and Glenigan, in some cases with further accuracy applied by Groundsure's experts. This search includes planning applications for single wind turbines only, within 5,000m of the property. This data is updated on a quarterly basis. If the existence of a planning application, passed or refused, may have a material impact with regard to the decision to purchase the property, Groundsure recommends independent, thorough enquiries are made with the Local Authority. If any applications have been identified within this report, Groundsure have included the planning reference to enable further enquiries to be made.



Existing and agreed solar installations

There is an operational or planned solar photovoltaic farm or smaller installation located near the property.

Please note this will not include small domestic solar installations. See below for details on installed capacity, operating company and the status of the project on a given date.

ID	Distance	Direction	Address	Details	
4	1-2 km	N	Crossness Sewage Works PV, Belvedere Road, London, SE2 9AR	Contractor: Thames Water Utilities LPA Name: Bexley Capacity (MW): 1.5	Application Date: - Pre Consent Status: Operational Post Consent Status: Operational Date Commenced: 27/07/2011
6	1-2 km	NE	Riverside Energy Park (REP), Norman Road, Bexley, DA17 6JY	Contractor: Cory Riverside Energy LPA Name: The Planning Inspectorate - National Infrastructure Capacity (MW): 1	Application Date: 16/11/2018 Pre Consent Status: Planning Permission Granted Post Consent Status: Awaiting Construction Date Commenced: -

The solar installation data is supplied by the Department for Business, Energy & Industrial Strategy and is updated on a monthly basis.

Contact us with any questions at:


info@groundsure.com ↗

01273 257 755



Energy / Energy infrastructure





Power stations

There is an active power station on or near to the property. Power stations can cause air pollution issues and may not be visually pleasing.

Power generation stations identified by these searches have a capacity of over 1 MW (Million Watt output) and will be one of the following types: Combined Cycle Gas Turbine (CCGT), Gas/Oil, Coal Gas, Diesel Gas, HP Oil, Poultry Litter, Coal/Oil, Coal/Gas, Meat and Bone, Pumped Storage Mine Gas, Rapeseed Oil, Straw/Gas Waste Combined Heat or Power Biomass.

Air pollution issues can be investigated further through the Air Quality team at the Local Authority. If the existence of any of a power generation station may have a material impact with regard to the decision to purchase the property, Groundsure recommends making independent enquiries with the operating company listed.



ID	Distance	Direction	Company name	Power station name	Type of power station	Total capacity (MW)	Operating since
1	1-2 km	NE	Thames Water Utilities Ltd	Crossness STW Biogas CHP	Combined Heat and Power	6	No Details
2	2-3 km	NE	Riverside Resource Recovery	Riverside - Energy from Waste	Bioenergy	80	2011
3	2-3 km	E	ADM Erith LTD	Erith Oil Works	Combined Heat and Power	14	No Details
4	4-5 km	NW	Thames Water Utilities Ltd	Beckton STW Biogas CHP	Combined Heat and Power	6	No Details
5	4-5 km	NE	Thames Water Utilities Ltd	Riverside STW	Combined Heat and Power	6	No Details

This data is sourced from the Digest of United Kingdom Energy Statistics (DUKES), a database from the Department for Business, Energy & Industrial Strategy.

Large Energy Projects

Large scale energy generation or transmission infrastructure has been proposed on or near to the property. Plans have been submitted to the Planning Inspectorate (formerly known as the Infrastructure Planning Commission). See below for details of what is proposed.

Distance	Direction	Details	Summary
1-2 km	NE	Operator: Cory Riverside Energy Site Name: Riverside Energy Park Stage: Decided - ongoing need for development	An integrated energy park of up to 96 megawatts generating capacity (comprising waste energy recovery, waste anaerobic digestion, battery storage and solar generation) and associated electrical connection.
1-2 km	NE	Operator: Cory Environmental Holdings Limited (CEHL) Site Name: Cory Decarbonisation Project Stage: Examination	Construction and operation of carbon capture plant, storage and marine export terminal

The information for this search is taken from a range of publicly available datasets. If the existence of a large scale infrastructure project may have a material impact with regard to the decision to purchase the property, Groundsure recommends making independent, thorough enquiries, starting with the National Infrastructure Planning website - <u>infrastructure.planninginspectorate.gov.uk/projects/</u> 7.



Planning summary





0

2

Planning Applications

Using Local Authority planning information supplied and processed by Serac Tech dating back 7 years, this information is designed to help you understand possible changes to the area around the property. Please note that even successful applications may not have been constructed and new applications for a site can be made if a previous one has failed. We advise that you use this information in conjunction with a visit to the property and seek further expert advice if you are concerned or considering development yourself.

Home improvement 5

searched to 50m

Please see page 28 > for details of the proposed developments.

Small residential searched to 50m

Medium residential 0 searched to 75m

Large residential 5 searched to 250m

> Mixed and commercial searched to 250m

Please see page 29 > for details of the proposed developments.

Please see page 30 > for details of the proposed developments.

Please note the links for planning records were extracted at the time the application was submitted therefore some links may no longer work. In these cases, the application details can be found by entering the application reference manually into the Authority's planning website.

In order to understand this planning data better together with its limitations you should read the full detailed limitations on page 37 >.



Planning constraints


No protected areas have been identified within 50 metres of the property. Protected areas include nature reserves and other conservation areas.

Environmental Protected Areas Not identified Visual and Cultural Protected Not identified **Areas**



Planning Applications





Home improvement applications searched to 50m

5 home improvement planning applications within 50m from the property have been submitted for planning permission during the last seven years. These applications relate to developments associated with an existing residential address. Please see below for details of the proposed developments.

ID	Details	Description	Online record
ID: 1 Distance: 0 Direction: on site	Application reference: 23/01937/FUL Application date: 31/08/2023 Council: Bexley	Address: 106 Mangold Way Erith Kent DA18 4DF Project: Air Source Heat Pump Installation Last known status: Refused Decision date: 09/11/2023	<u>Link</u> ⊅



ID	Details	Description	Online record
ID: A Distance: 17 m Direction: W	Application reference: 23/03244/FUL Application date: 08/12/2023 Council: Bexley	Address: 94 Mangold Way Erith Kent DA18 4DF Project: HMO Conversion with Extensions (Class C4) Last known status: Refused Decision date: 02/02/2024	<u>Link</u> ⊅
ID: A Distance: 17 m Direction: W	Application reference: 23/03245/LDCP Application date: 05/12/2023 Council: Bexley	Address: 94 Mangold Way Erith Kent DA18 4DF Project: Single Storey Extensions (Lawful Development Certificate) Last known status: Refused Decision date: 02/02/2024	<u>Link</u> ⊅
ID: A Distance: 18 m Direction: W	Application reference: 24/00380/FUL Application date: 05/02/2024 Council: Bexley	Address: 94 Mangold Way Erith Kent DA18 4DF Project: HMO Conversion with Extensions and Bicycle Storage Last known status: Refused Decision date: 28/03/2024	<u>Link</u> ⊅
ID: 2 Distance: 44 m Direction: SW	Application reference: 23/01940/FUL Application date: 22/08/2023 Council: Bexley	Address: 74 Mangold Way Erith Kent DA18 4DE Project: Garage Conversion & Solar Installation Last known status: Approved Decision date: 22/11/2023	Link 7

The data is sourced from Serac Tech

Large residential applications searched to 250m

5 large residential developments within 250m from the property have been submitted for planning permission during the last seven years. Large residential developments are considered to be residential builds of over 10 dwellings. Please see below for details of the proposed developments.

ID	Details	Description	Online record
ID: B Distance: 241 m Direction: W	Application reference: 21/2299/K Application date: 18/06/2021 Council: Royal Greenwich	Address: Land Bound By Harrow Manorway, Yarnton Way, Lensbury Way And Maran Way London, SE2 Project: 1,950 Residential Units & Commercial Redevelopment Last known status: Validated Decision date: Not supplied	<u>Link</u> ⊅
ID: B Distance: 242 m Direction: W	Application reference: 20/00733/SCOPE Application date: 23/03/2020 Council: Bexley	Address: Lesnes Estate Site Redevelopment Thamesmead London Project: 1,950 Residential Units & Commercial Space Development Last known status: Approved Decision date: 15/06/2020	<u>Link</u> ⊅



ID	Details	Description	Online record
ID: B Distance: 242 m Direction: W	Application reference: 20/01732/SCOPE Application date: 17/07/2020 Council: Bexley	Address: Lesnes Estate Site Redevelopment Thamesmead London Project: Up to 1,950 Residential Units & Commercial Development Last known status: Approved Decision date: 20/08/2020	<u>Link</u> ⊅
ID: B Distance: 242 m Direction: W	Application reference: 21/01948/OUTEA Application date: 11/06/2021 Council: Bexley	Address: Land Bound By Harrow Manorway, Yarnton Way, Lensbury Way And Maran Way London Project: 1,950 Residential Units & Commercial Redevelopment Last known status: Validated Decision date: Not supplied	Link 7
ID: B Distance: 244 m Direction: W	Application reference: 21/00947/OBB Application date: 18/06/2021 Council: Dartford	Address: Land Bound By Harrow Manorway, Yarnton Way, Lensbury Way And Maran Way London Project: 1,950 Residential Units & Commercial Redevelopment Last known status: Approved Decision date: 27/07/2021	Link 7

The data is sourced from Serac Tech

Mixed and commercial applications searched to 250m

2 mixed and commercial developments within 250m from the property have been submitted for planning permission during the last seven years. Mixed and commercial developments are considered to be any other development that can be mixed use of commercial and residential development or purely commercial. Please see below for details of the proposed developments.

ID	Details	Description	Online record
ID: 3 Distance: 200 m Direction: SW	Application reference: 17/01002/FUL Application date: Not supplied Council: Bexley	Address: - Project: Check with Council Last known status: Check with Council Decision date: Not supplied	<u>Link</u> ⊅
ID: 4 Distance: 242 m Direction: NE	Application reference: 24/01069/FUL Application date: 01/05/2024 Council: Bexley	Address: Harris Garrard Academy Yarnton Way Erith Kent DA18 4DW Project: Energy Installation (Substation & Heat Pumps) Last known status: Approved Decision date: 24/09/2024	<u>Link</u> ⊅

The data is sourced from Serac Tech





Climate change / Flood risk (5 and 30 Years)

The baseline or current flood risk assessment on this property is based on climatic conditions today. If present, the associated flood maps (and other relevant datasets) are visualised in the flood risk section. However, climate change is expected to increase the frequency and severity of weather events that could increase the risk of flooding. Rising sea levels due to climate change could also contribute to increased flood risk in coastal properties.

Ambiental Risk Analytics provides flood risk data that can project the risk from river, coastal and surface water flooding in the future for a range of emissions scenarios (Low emissions - RCP 2.6, medium emissions - RCP 4.5, and high emission - RCP 8.5).

Groundsure uses this data, as well as other data assets within our ClimateIndex™ calculator to determine an overall assessment of climate change physical risks to the property. For example, the combined effect of 'moderate' assessments over multiple physical risks could result in a higher ClimateIndex™ overall than that of a single moderate assessment.

More information about our methodology and limitations is available here: knowledge.groundsure.com/methodologies-and-limitations ⊅.

Climate change scenario	River/coastal flood depth (cm)		Surface water flood depth (cm)	
	5 years	30 years	5 years	30 years
Low emissions	< 20	< 20	< 20	< 20
Medium emissions	< 20	< 20	< 20	< 20
High emissions	< 20	< 20	< 20	< 20

This data is sourced from Ambiental Risk Analytics.

Climate change / Ground stability (5 and 30 Years)

The British Geological Survey (BGS) has created data designed to show the likelihood of an increase in risk from shrink swell subsidence hazards as a result of climate change. When certain soils take in water they can swell, causing heave. Conversely, when these soils dry out they can shrink and cause subsidence. Climate change is likely to result in higher temperatures and therefore likely to cause periods of drought and an increase in shrink swell subsidence.

This data has been produced using the Met Office local projections to accurately model predicted rainfall, using the high emissions climate change scenario (RCP 8.5).

Groundsure uses this data, as well as other data assets within our ClimateIndex™ calculator to determine an overall assessment of climate change physical risks to the property. For example, the combined effect of 'moderate' assessments over multiple physical risks could result in a higher ClimateIndex™ overall than that of a single moderate assessment.

More information about our methodology and limitations is available here:



Ref: Sample_Avista Your ref: Sample Avista



knowledge.groundsure.com/methodologies-and-limitations ↗.

Rainfall scenario	High rainfall		Average rainfall		Lower rainfall	
	5 years		5 years	30 years	5 years	30 years
Likelihood of increased risk	Highly unlikely	Unlikely	Likely	Likely	Likely	Likely

This data is sourced from the British Geological Survey



Datasets searched

This is a full list of the data searched in this report. If we have found results of note we will state "Identified". If no results of note are found, we will state "Not identified". Our intelligent filtering will hide "Not identified" sections to speed up your workflow.

Contaminated Land	
Former industrial land use (1:10,560 and 1:10,000 scale)	Not identified
Former tanks	Not identified
Former energy features	Not identified
Former petrol stations	Not identified
Former garages	Not identified
Former military land	Not identified
Former landfill (from Local Authority and historical mapping records)	Not identified
Waste site no longer in use	Not identified
Active or recent landfill	Not identified
Former landfill (from Environment Agency Records)	Not identified
Active or recent licensed waste sites	Not identified
Recent industrial land uses	Not identified
Current or recent petrol stations	Not identified
Hazardous substance storage/usage	Not identified
Sites designated as Contaminated Land	Not identified
Historical licensed industrial activities	Not identified
Current or recent licensed industrial activities	Not identified
Local Authority licensed pollutant release	Not identified
Pollutant release to surface waters	Not identified
Pollutant release to public sewer	Not identified
Dangerous industrial substances (D.S.I. List 1)	Not identified

Contominated Land	
Contaminated Land	
Dangerous industrial substances (D.S.I. List 2)	Not identified
Pollution incidents	Not identified
Flooding	
Risk of flooding from rivers and the sea	Not identified
Flood storage areas: part of floodplain	Not identified
Historical flood areas	Identified
Reduction in Risk of Flooding from Rivers and Sea due to Defences	Identified
Flood defences	Not identified
Proposed flood defences	Not identified
Surface water flood risk	Not identified
Surface water flood risk Groundwater flooding	Not identified Identified
Groundwater flooding	
Groundwater flooding Radon	Identified
Groundwater flooding Radon Radon	Identified
Radon Radon Mining features	Identified Not identified
Groundwater flooding Radon Radon Mining features Mine entries	Identified Not identified Not identified
Groundwater flooding Radon Radon Mining features Mine entries Mineralised veins	Not identified Not identified Not identified
Groundwater flooding Radon Radon Mining features Mine entries Mineralised veins Surface workings	Not identified Not identified Not identified Not identified
Groundwater flooding Radon Radon Mining features Mine entries Mineralised veins Surface workings Surface features	Not identified Not identified Not identified Not identified Not identified



Mining features		Natural instability	
Secured features	Not identified	Landslides	Not identified
Licence boundaries	Not identified	National landslide database	Not identified
Researched mining	Not identified	Running sands	Not identified
Mining Record Office plans	Not identified	Compressible deposits	Identified
BGS mine plans	Not identified	Collapsible deposits	Not identified
Mining records		Dissolution of soluble rocks	Not identified
BritPits	Not identified	Natural cavities	Not identified
Mineral Planning Areas	Not identified	Coastal Erosion	
Non-coal mining areas	Not identified	Complex cliffs	Not identified
Mining cavities	Not identified	Projections with intervention measures in	Not identified
Coal mining areas	Not identified	place	
Brine areas	Not identified	Projections with no active intervention	Not identified
Gypsum areas	Not identified	Complex cliffs	Not identified
Tin mining areas	Not identified	Projections with active management or intervention measures in place	Not identified
Historical Features		Projections with no active management Not identified plan or intervention	
Non-coal mining	Identified		
Coal and associated mining	Not identified	Infilled land	
Industry associated with mining	Not identified	Infilling from historical mapping	Not identified
		Active landfill sites	Not identified
Geological features		Historical landfill (from Environment	Not identified
Artificial and made ground (10k)	Not identified	Agency records)	
Linear features - mineral veins (10k)	Not identified	Historical landfill (from Local Authority and historical mapping records)	Not identified
Artificial and made ground (50k)	Not identified		
Linear features - mineral veins (50k)	Not identified	Sinkholes	
		Reported recent incidents	Not identified
Natural instability		Recorded incidents (Stantec)	Not identified
Property shrink-swell assessment	Not identified	Historical incidents Not identified	
Shrink-swell clays	Not identified		





Transportation	
HS2 route: nearest centre point of track	Not identified
HS2 route: nearest overground section	Not identified
HS2 surface safeguarding	Not identified
HS2 subsurface safeguarding	Not identified
HS2 Homeowner Payment Zone	Not identified
HS2 Extended Homeowner Protection Cone	Not identified
HS2 stations	Not identified
HS2 depots	Not identified
HS2 noise and visual assessment	Not identified
Crossrail 2 route	Not identified
Crossrail 2 stations	Not identified
Crossrail 2 worksites	Not identified
Crossrail 2 headhouses	Not identified
Crossrail 2 safeguarding area	Not identified
Active railways	Identified
Railway tunnels	Not identified
Active railway stations	Not identified
Historical railway infrastructure	Identified
Abandoned railways	Not identified
London Underground and DLR lines	Identified
ondon Underground and DLR stations	Not identified
Inderground	Not identified
Inderground stations	Not identified
Dil and gas	
	Not identified
Dil and gas Dil or gas drilling well Proposed oil or gas drilling well	Not identified

Oil and gas	
Potential future exploration areas	Not identified
Wind and solar	
Wind farms	Identified
Proposed wind farms	Identified
Proposed wind turbines	Identified
Existing and agreed solar installations	Identified
Proposed solar installations	Not identified
Energy	
Electricity transmission lines and pylons	Not identified
National Grid energy infrastructure	Not identified
Power stations	Identified
Nuclear installations	Not identified
Large Energy Projects	Identified
Planning Applications	
Home improvement applications searched to 50m	Identified
Small residential applications searched to 50m	Not identified
Medium residential applications searched to 75m	Not identified
Large residential applications searched to 250m	Identified
Mixed and commercial applications searched to 250m	Identified
Planning constraints	
Sites of Special Scientific Interest	Not identified
Internationally important wetland sites (Ramsar Sites)	Not identified
Special Areas of Conservation	Not identified



Planning constraints	
Special Protection Areas (for birds)	Not identified
National Nature Reserves	Not identified
Local Nature Reserves	Not identified
Designated Ancient Woodland	Not identified
Green Belt	Not identified
World Heritage Sites	Not identified
Areas of Outstanding Natural Beauty	Not identified
National Parks	Not identified
Conservation Areas	Not identified
Listed Buildings	Not identified
Certificates of Immunity from Listing	Not identified
Scheduled Monuments	Not identified
Registered Parks and Gardens	Not identified
Climate change	
Flood risk (5 and 30 Years)	Identified
Ground stability (5 and 30 Years)	Identified



Methodologies and limitations

Groundsure's methodologies and limitations are available here: knowledge.groundsure.com/methodologies-and-limitations 7.

Data providers

Groundsure works with respected data providers to bring you the most relevant and accurate information in your Avista report. To find out who they are and their areas of expertise see www.groundsure.com/sources-reference www.groundsure.com/sources-reference <a href="https://www.groundsure.com/sources-reference-ref

Conveyancing Information Executive and our terms & conditions

IMPORTANT CONSUMER PROTECTION INFORMATION

This search has been produced by Groundsure Ltd. Groundsure adheres to the Conveyancing Information Executive Standards.

In addition to The Property Ombudsman (TPO) redress scheme covering consumers, TPO will also provide redress to small businesses (including Charities and Trusts) and where the customer meets the following criteria:

- a small business (or group of companies) with an annual turnover of less than £3 million;
- a charity with an annual income of less than £3 million;
- a Trust with a net asset value of less than £3 million.

Complaints Advice

If you have a query or complaint about your search, you should raise it directly with the search firm, and if appropriate ask for any complaint to be considered under their formal internal complaints procedure.

If you remain dissatisfied with the firm's final response, after your complaint has been formally considered, or if the firm has exceeded the response timescales, you may refer your complaint for consideration under The Property Ombudsman scheme (TPOs). The Ombudsman can award up to £5,000 to you if the Ombudsman finds that you have suffered actual financial loss and/or aggravation, distress or inconvenience as a result of your search provider failing to keep to the Standards.

Please note that all queries or complaints regarding your search should be directed to your search provider in the first instance, not to TPOs.

COMPLAINTS PROCEDURE: If you want to make a complaint, we will:

- acknowledge it within 5 working days of receipt
- normally deal with it fully and provide a final response, in writing, within 20 working days of receipt
- liaise, at your request, with anyone acting formally on your behalf

Complaints should be sent to:

Operations Director, Groundsure Ltd, Nile House, Nile Street, Brighton, BN1 1HW. Tel: 01273 257 755. Email: info@groundsure.com ✓ If you are not satisfied with our final response, or if we exceed the response timescales, you may refer the complaint to The Property Ombudsman scheme (TPOs): Tel: 01722 333306, E-mail: admin@tpos.co.uk ↗ We will co-operate fully with the Ombudsman during an investigation and comply with their final decision.

Groundsure's Terms and Conditions can be viewed here: www.groundsure.com/terms-and-conditions-april-2023/ / >

All of the advice and reports that Groundsure produces are covered by a comprehensive Remediation Contribution policy to ensure customers are protected, see www.groundsure.com/remediation for full details.

