

Martello®	ADDRESS 3 Wraxall Piece, Green Lane, BS8 3TW	
	RESIDENTIAL CMRA+Enviro+Climate+Planning	REFERENCE RESIDENTIAL ENVIRONMENTAL, CLIMATE AND PLANNING EXAMPLE REPORT OCTOBER 2025
	 NO ACTION REQUIRED	
	CONTAMINATED LAND NO ISSUES Page 4 →	FLOOD RISK NO ISSUES Page 7 →
	PLANNING CONSTRAINTS POTENTIAL ISSUES Page 10 →	RADON POTENTIAL ISSUES Page 14 →
	TRANSPORTATION NO ISSUES Page 15 →	ENERGY AND INFRASTRUCTURE NO ISSUES Page 17 →
	GROUND STABILITY POTENTIAL ISSUES Page 19 →	COAL MINING AREAS NO ISSUES Page 21 →
	CLIMATE CHANGE POTENTIAL ISSUES Page 22 →	PLANNING APPLICATIONS FOR INFORMATION ONLY Page 25 →
	Try our interactive report ↗	Terms & Conditions ↗
		

Summary


CMRA+Enviro+Climate+Planning

CONTAMINATED LAND NO ISSUES ● ACTIVE LANDFILL ● FORMER LANDFILL ● ACTIVE PETROL OR FUEL STATIONS ● FORMER PETROL OR FUEL STATIONS ● PUBLIC REGISTER OF CONTAMINATED LAND ● CONTAMINATED LAND DESIGNATED AS SPECIAL SITES ● CONSENTED DISCHARGES TO CONTROLLED WATERS (WITH CONDITIONS) ● ENVIRONMENTAL POLLUTION INCIDENTS ● MANUFACTURING AND PRODUCTION OF INDUSTRIAL PRODUCTS ● FORMER MILITARY SITES ● REGULATED SITES ● HISTORIC LAND USE
--

ENERGY AND INFRASTRUCTURE NO ISSUES NATIONAL GRID PETROLEUM EXPLORATION AND DEVELOPMENT LICENCES POWER STATIONS SOLAR RENEWABLE ENERGY SITES WIND RENEWABLE ENERGY SITES OTHER RENEWABLE ENERGY SITES COMAH ESTABLISHMENTS	GROUND STABILITY POTENTIAL ISSUES SHRINK-SWELL CLAYS RUNNING SANDS COMPRESSIBLE GROUND COLLAPSIBLE DEPOSITS ARTIFICIAL GROUND LANDSLIDES DISSOLUTION OF SOLUBLE ROCKS COAL MINING AREAS NO ISSUES COAL MINING REPORTING AREA	CLIMATE CHANGE POTENTIAL ISSUES SHRINK SWELL FLOODING HEAT STRESS WILDFIRE DROUGHT ENERGY PERFORMANCE CERTIFICATE (EPC) COASTAL EROSION EXTENT (SHORELINE MANAGEMENT PLANS) COASTAL EROSION EXTENT (NO FUTURE INTERVENTION) COASTAL EROSION SUSCEPTIBILITY	PLANNING APPLICATIONS FOR INFORMATION ONLY LARGE SCALE DEVELOPMENTS SMALL SCALE DEVELOPMENTS
---	--	---	--


Contaminated Land

SUMMARY ↑



ACTIVE LANDFILL

The property is more than 1 km from any active landfill site. The risk of water and soil contamination, or poor air quality from an active landfill site, is likely low or very low.



FORMER LANDFILL

The property is more than 10 metres from any former landfill site. The risk of potential water and soil contamination, or poor air quality, arising from proximity to a former landfill site is likely low or very low.



ACTIVE PETROL OR FUEL STATIONS

The property is more than 50 metres from any active petrol or fuel station. The risk of potential water and soil contamination or ground gas emissions arising from proximity to an active petrol or fuel station is likely low or very low.




FORMER PETROL OR FUEL STATIONS

The property is more than 25 metres from any former petrol or fuel station. The risk of potential water and soil contamination, or ground gas emissions, arising from proximity to a former petrol or fuel station is likely low or very low.


Contaminated Land

SUMMARY ↑



PUBLIC REGISTER OF CONTAMINATED LAND

The property is more than 250 metres from any site designated as contaminated land by the local authority. The risk of potential water and soil contamination, or poor air quality, arising from proximity to a site designated as contaminated land is likely low or very low.




CONTAMINATED LAND DESIGNATED AS SPECIAL SITES

The property is more than 250 metres from any Environment Agency-designated Special Site. The risk of potential water and soil contamination, or poor air quality, arising from proximity to a Special Site is likely low or very low. It is unlikely that any regulatory controls or future remediation actions would be mandated.



CONSENTED DISCHARGES TO CONTROLLED WATERS (WITH CONDITIONS)

The property is more than 50 metres from any site with licensed consent for discharging effluent into controlled waters. The risk of water contamination arising from proximity to a licensed discharge is likely low or very low.



ENVIRONMENTAL POLLUTION INCIDENTS

The property is more than 50 metres from any significant pollution incident. The risk of water and soil contamination, or poor air quality, arising from reported pollution incidents is likely low or very low.

Contaminated Land



MyNestBox, OS Partner #100064200 | © Crown copyright and database rights 2023. OS 100064200

NO ISSUES

MANUFACTURING AND PRODUCTION OF INDUSTRIAL PRODUCTS

The property is more than 10 metres from any site licensed for industrial use of the land. The risk of potential water and soil contamination, or ground gas emissions, arising from proximity to a site of a site licensed for industrial land use is likely low or very low.




MyNestBox, OS Partner #100064200

NO ISSUES

FORMER MILITARY SITES

The property is more than 500 metres from any known former military site. The risk of potential water or soil contamination, poor air quality, or unexploded ordnance, is likely low or very low.



MyNestBox, OS Partner #100064200 | Contains Natural Resources Wales information © Natural Resources Wales and Database Right. All rights Reserved. © Environment Agency copyright and/or database right 2022. All rights reserved.

NO ISSUES

REGULATED SITES

The property is not on or near any identified regulated sites. The risk of potential water and soil contamination, or poor air quality, arising from proximity to a regulated site is likely low or very low.



WE DO NOT MAP THIS SECTION

NO ISSUES

HISTORIC LAND USE

The property is more than 25 metres from any area of past industrial land use. The risk posed by contaminants, e.g. heavy metals, chemicals, or hydrocarbons, arising from former industrial land use is likely low or very low.

INFORMATION DERIVED AND REPRODUCED WITH PERMISSION OF THE NATIONAL LIBRARY OF SCOTLAND AND PROTEINUS HOLDINGS - UNIVERSITY OF OXFORD, BODLEIAN LIBRARY MAP COLLECTION. ADDITIONAL SATELLITE IMAGERY DISTRIBUTED BY GOOGLE EARTH PRO 7.3.X.

Flood Risk

SUMMARY ↑



RIVERS AND SEAS

The Environment Agency and Natural Resources Wales models indicate no fluvial or tidal flood hazards at the property. Therefore, the likelihood and severity of risks to property or possessions arising from river or seawater flooding are low or very low.




SURFACE WATER

The Environment Agency and Natural Resources Wales models indicate no pluvial flood hazard at the property. Therefore, the likelihood and severity of risks to property or possessions arising from surface water flooding are low or very low.



FLUVIAL (UNDEFENDED)

The GeoSmart model indicates no fluvial flood hazard at the property. Therefore, the likelihood and severity of risks to property or possessions arising from surface water flooding are low or very low.



GROUNDWATER

The GeoSmart model indicates no groundwater flood hazard at the property. Therefore, the likelihood and severity of risks to property or possessions arising from groundwater flooding are low or very low.

Flood Risk



TIDAL (UNDEFENDED)

The GeoSmart model indicates no tidal flood hazard at the property. Therefore, the likelihood and severity of risks to property or possessions arising from surface water flooding are low or very low.



PLUVIAL

The GeoSmart model indicates no pluvial flood hazard at the property. Therefore, the likelihood and severity of risks to property or possessions arising from surface water flooding are low or very low.



FLOOD DEFENCES AND BENEFITING AREAS

When a property is within an area benefiting from flood defences (ABFD), the risk of fluvial or tidal flooding could be significantly reduced, provided the defences are effectively maintained. The absence of ABFD does not necessarily mean the property is at risk from flooding.




FLOOD STORAGE AREAS

The property is more than 250 metres away from an area which is used for flood water storage (balancing reservoir, storage basin or balancing pond). Any risk to property or possessions arising from overflowing flood storage areas are considered low or very low in likelihood and severity.

Flood Risk

SUMMARY ↑




HISTORICAL FLOOD AREAS

The property is more than 250 metres from an area with a history of flooding.

Planning Constraints

SUMMARY ↑



MyNestBox, OS Partner #100064200 | Contains Ordnance Survey and MHCLG Intellectual Property Rights

POTENTIAL ISSUES

GREEN BELT

The property is within one or more designated green belt areas. The risk of planning restrictions or other obligations on the property arising from proximity to a designated green belt area is likely elevated.



MyNestBox, OS Partner #100064200 | Contains Natural England Intellectual Property Rights

NO ISSUES

AREAS OF OUTSTANDING NATURAL BEAUTY

The property is more than 250 metres from one or more Areas of Outstanding Natural Beauty (AONB). The risk of planning restrictions or other obligations on the property arising from proximity to an Area of Outstanding Natural Beauty (AONB) is likely low or very low.



MyNestBox, OS Partner #100064200 | Natural England and LLE copyright. Contains Ordnance Survey data

NO ISSUES

NATIONAL PARKS

The property is not within a national park. The risk of planning restrictions or other obligations arising from being within a national park are likely low or very low.



MyNestBox, OS Partner #100064200 | Contains public sector information licensed under the Open Government Licence v3.0.


NO ISSUES

SPECIAL AREAS OF CONSERVATION

The property is more than 250 metres from one or more Special Areas of Conservation (SAC). The risk of planning restrictions or other obligations on the property arising from proximity to a Special Area of Conservation (SAC) is likely low or very low.


Planning Constraints

SUMMARY ↑




SPECIAL PROTECTION AREAS

The property is more than 250 metres from one or more Special Protection Areas (SPA). The risk of planning restrictions or other obligations on the property arising from proximity to a Special Protection Area (SPA) is likely low or very low.




SITES OF SPECIAL SCIENTIFIC INTEREST

The property is more than 250 metres from one or more Sites of Special Scientific Interest (SSSI). The risk of planning restrictions or other obligations on the property arising from proximity to a Site of Special Scientific Interest (SSSI) is likely low or very low.



RAMSAR

The property is more than 250 metres from one or more Ramsar sites. The risk of planning restrictions or other obligations on the property arising from proximity to a Ramsar site is likely low or very low.



NATURE RESERVES

The property is more than 250 metres from one or more local or national nature reserves. The risk of planning restrictions or other obligations on the property arising from proximity to a local or national nature reserve is likely low or very low.

Planning Constraints

SUMMARY ↑



MyNestBox, OS Partner #100064200 | Contains Historic England Intellectual Property Rights

NO ISSUES

LISTED BUILDINGS

The property is more than 250 metres from one or more listed buildings. The risk of planning restrictions or other obligations on the property arising from proximity to a listed building is likely low or very low.



MyNestBox, OS Partner #100064200 | Contains Historic England Intellectual Property Rights and data under the Open Government Licence

NO ISSUES

SCHEDULED MONUMENTS

The property is more than 250 metres from one or more scheduled monuments. The risk of planning restrictions or other obligations on the property arising from proximity to a scheduled monument is likely low or very low.




MyNestBox, OS Partner #100064200 | © Historic England 2022. Contains Ordnance Survey data © Crown copyright and database right 2022.

FOR INFORMATION ONLY

CERTIFICATES OF IMMUNITY

A Certificate of Immunity (COI) allows specific alterations without violating planning regulations, typically for listed buildings or structures with historical significance.



MyNestBox, OS Partner #100064200 | Contains Natural Resources Wales, Ordnance Survey and Natural England copyright and data

NO ISSUES

ANCIENT WOODLAND

The property is more than 250 metres from one or more ancient woodlands. The risk of planning restrictions or other obligations on the property arising from proximity to an ancient woodland is likely low or very low.

Planning Constraints



MyNestBox, OS Partner #100064200 | © Historic England 2022.
Contains Ordnance Survey data © Crown copyright and database right 2022. Licensed under the Open Government Licence 3

NO ISSUES

REGISTERED PARKS AND GARDENS

The property is more than 250 metres from one or more registered parks or gardens. The risk of planning restrictions or other obligations on the property arising from proximity to a registered park or garden is likely low or very low.



MyNestBox, OS Partner #100064200 | © Historic England 2022.
Contains Ordnance Survey data © Crown copyright and database right 2022. Licensed under the Open Government Licence 3

NO ISSUES

WORLD HERITAGE SITES

The property is more than 250 metres from one or more World Heritage Sites. The risk of planning restrictions or other obligations on the property arising from proximity to a World Heritage Site is likely low or very low.



MyNestBox, OS Partner #100064200 | © Natural England copyright. Contains Ordnance Survey data © Crown copyright and database right 2024. Contains Natural Resources Wales information © Natural Resources Wales and Database Right. All rights Reserved.

NO ISSUES

OPEN ACCESS

The property is not within an area designated as common land or open country. The risk of issues relating to access, maintenance or other restrictions arising from the property being in an open access area are likely low or very low.

Radon



MyNestBox, OS Partner #100064200 | Derived from BGS Digital Data under Licence No. DRA/MNB/MAY2023 British Geological Survey and Database Right UKRI. All rights reserved.


POTENTIAL ISSUES

RADON

The property is in a Radon Affected Area where 10% to 30% of buildings are estimated to be at or above the Action Level. The risk of health implications or planning restrictions arising from radon exposure are likely high or very high.

Transportation

SUMMARY ↑



MyNestBox, OS Partner #100064200 | Contains OS data © Crown copyright and database right 2022

NO ISSUES

OVERGROUND RAIL

The property is more than 250 metres from any railway station or track. Impact on building structures from prolonged exposure to vibrations is likely low or very low.



MyNestBox, OS Partner #100064200 | Contains OS data © Crown copyright and database rights 2016, and Geonni UK Map data © database rights 2020. Geonni UK Map data © and database rights 2023

NO ISSUES

OVERGROUND RAIL - ELIZABETH LINE

The property is more than 250 metres from any railway station or track along the Elizabeth Line. Impact on building structures from prolonged exposure to vibrations is likely low or very low.




MyNestBox, OS Partner #100064200 | Contains Ordnance Survey data © Crown copyright and database right 2022. OpenStreetMap® is open data, licensed under the Open Data Commons Open Database License (ODbL) by the OpenStreetMap Foundation (OSMF)

NO ISSUES

LONDON UNDERGROUND

The property is more than 250 metres from any London Underground station or track. Impact on building structures from prolonged exposure to vibrations is likely low or very low.



MyNestBox, OS Partner #100064200 | High Speed Two (HS2) Ltd.


NO ISSUES

HS2

The property is more than 300 metres from any proposed HS2 station or route. Impact on building structures from prolonged exposure to vibrations is likely low or very low.

Transportation

SUMMARY ↑



HS2 SAFEGUARDING ZONES

The property is not within a HS2 Safeguarding Zone. The risk of the property being subject to restrictions and potential compulsory purchase orders is low or very low.


Energy and Infrastructure

SUMMARY ↑




NATIONAL GRID

The property is more than 100 metres from the nearest National Grid cable, overhead line, substation or tower used in high voltage (above 132kV) electricity transmission. Any risks associated with increased exposure to electromagnetic fields, or issues with access, are likely low or very low.




PETROLEUM EXPLORATION AND DEVELOPMENT LICENCES

The property is more than 250 metres from any area where oil and gas exploration or production is licensed. The risk of potential water and soil contamination, or poor air quality, arising from proximity to a licenced area is likely low or very low.



POWER STATIONS


The property is more than 250 metres from any power station, including nuclear power stations. The risks associated with poor air quality, thermal pollution or other contamination arising from proximity to a power station are likely low or very low.



SOLAR RENEWABLE ENERGY SITES


The property is more than 1 km from any current or proposed solar energy generation site. The risks of the property value being impacted or land use change restrictions being imposed due to proximity to a renewable energy site are likely low or very low.

Energy and Infrastructure




WIND RENEWABLE ENERGY SITES

The property is more than 5 km from any current or proposed wind energy generation site. The risks of the property value being impacted or land use change restrictions being imposed due to proximity to a renewable energy site are likely low or very low.



OTHER RENEWABLE ENERGY SITES


The property is more than 1 km from any current or proposed renewable energy site, excluding solar and wind. The risks of the property value being impacted or land use change restrictions being imposed due to proximity to a renewable energy site are likely low or very low.



COMAH ESTABLISHMENTS

The property is not within 5 km of any upper-tier COMAH site or within 1 km of any lower-tier COMAH site. The risk of impact in the event of an accident is likely low or very low.

Ground Stability




SHRINK-SWELL CLAYS

The ground at the property is either non-plastic or has low plasticity, meaning the risk of ground movement due to shrink-swell clays is low to very low.




RUNNING SANDS

There is no or very low potential for running sand issues at the property. The risk of ground instability caused by leaks, heavy rainfall, or flooding is low to very low.



COMPRESSIBLE GROUND

There are no significant signs of compressible ground at the property. The risk of issues related to changes in ground conditions, such as water levels or building loads, is considered low to very low.



COLLAPSIBLE DEPOSITS

There are no or very low signs of collapsible deposits at the property. The risk of ground stability, water infiltration, or structural stability issues due to collapsible deposits is expected to be low to very low.

Ground Stability



ARTIFICIAL GROUND

There is no artificial ground recorded at the property based on available data, though some artificial ground of limited thickness is common in built-up areas. The risk of any ground stability or structural issues related to artificial ground is considered low to very low.



LANDSLIDES

There are no indicators for slope instability identified at the property. The risk of landslides due to changes in ground conditions, such as drainage alterations or excavation, is low to very low.




DISSOLUTION OF SOLUBLE ROCKS

Soluble rocks are likely present at the property. The risk of natural subsidence arising from high water flow, either at the surface or underground, is likely elevated.

Coal Mining Areas

SUMMARY ↑



COAL MINING REPORTING AREA

The property is not within a Coal Mining Reporting Area. The risks associated with coal mining are likely low or very low.

Climate Change

NEAR - TERM RCP 8.5 · 2030s · 50th Percentile NO CHANGE
MID - TERM RCP 8.5 · 2070s · 50th Percentile NO CHANGE
NO ISSUES

SHRINK SWELL

The property is situated in an area where climate change is expected to have a low or very low impact on potential future increases in Shrink Swell hazard during the term of a typical 35 year mortgage.

DERIVED FROM BGS DIGITAL DATA UNDER LICENCE NO. DRA/MNB/MAY2023 BRITISH GEOLOGICAL SURVEY © UKRI. ALL RIGHTS RESERVED.

NEAR - TERM RCP 4.5 · 2030s NO CHANGE
MID - TERM RCP 4.5 · 2050s NO CHANGE
NO ISSUES

FLOODING

The property is situated in an area where climate change is expected to have a low or very low impact on potential future increases in Flooding hazard during the term of a typical 35 year mortgage.

DATA HAS BEEN PROVIDED BY GEOSMART INFORMATION LTD © 2023

NEAR - TERM RCP 4.5 · 2030 NO CHANGE
MID - TERM RCP 4.5 · 2055 NO CHANGE
NO ISSUES

HEAT STRESS

The property is situated in an area where the likelihood of being hotter than surrounding areas due to heat stress is currently low or very low. Modelling of future climate conditions indicates heat stress risk to the property will stay the same within a typical mortgage term.

MAP IMPACT LIMITED

NEAR - TERM RCP 4.5 · 2030 NO CHANGE
MID - TERM RCP 4.5 · 2055 NO CHANGE
POTENTIAL ISSUES

WILDFIRE

The property is situated in an area where the susceptibility of nearby land cover types due to wildfire is currently elevated. Modelling of future climate conditions indicates wildfire risk to the property will stay the same within a typical mortgage term.

MAP IMPACT LIMITED

Climate Change

NEAR - TERM RCP 4.5 · 2030 NO CHANGE
MID - TERM RCP 4.5 · 2055 NO CHANGE
POTENTIAL ISSUES

DROUGHT

The property is situated in an area where the likelihood of experiencing reduced access to water and drier soil conditions due to drought is currently elevated. Modelling of future climate conditions indicates drought risk to the property will stay the same within a typical mortgage term.

MAP IMPACT LIMITED


FOR INFORMATION ONLY

ENERGY PERFORMANCE CERTIFICATE (EPC)

The property’s Energy Performance Certificate (EPC), as required by UK government legislation, provides a standardised energy rating that confirms the property’s current energy efficiency and includes recommendations for possible retrofits. To view the energy rating and suggested retrofits for this property, visit [Find an energy certificate](#).

NEAR - TERM 2015 LOW
MID - TERM 2055 LOW
NO ISSUES

COASTAL EROSION EXTENT (SHORELINE MANAGEMENT PLANS)

The property is located more than 2 km from the coastline, where coastal erosion is not expected to pose a risk during the term of a typical 35-year mortgage.

© ENVIRONMENT AGENCY COPYRIGHT AND/OR DATABASE RIGHT. © NATURAL RESOURCES WALES AND DATABASE RIGHT. ALL RIGHTS RESERVED.

NEAR - TERM 2015 LOW
MID - TERM 2055 LOW
NO ISSUES

COASTAL EROSION EXTENT (NO FUTURE INTERVENTION)

The property is located more than 2 km from the coastline, where coastal erosion is not expected to pose a risk during the term of a typical 35-year mortgage.

© ENVIRONMENT AGENCY COPYRIGHT AND/OR DATABASE RIGHT. © NATURAL RESOURCES WALES AND DATABASE RIGHT. ALL RIGHTS RESERVED.

Climate Change



COASTAL EROSION SUSCEPTIBILITY

The property is located in an area with a low risk of coastal erosion. This suggests that either the property is situated near a cliff with low susceptibility to erosion, or it is more than 2 km from the coastline or the nearest cliff section. The risk to the property’s structural integrity from coastal erosion, including potential impacts from climate change, is expected to be low or very low.

DERIVED FROM BGS DIGITAL DATA UNDER LICENCE NO.
DRA/MNB/MAY2023 BRITISH GEOLOGICAL SURVEY © UKRI. ALL
RIGHTS RESERVED.

Planning Applications

SUMMARY ↑

Large Scale Developments

Large scale planning applications includes relevant planning applications concerning multiple dwellings or significant infrastructure projects. Large scale (>150kw) renewable energy installations are also included.

REFERENCE	AUTHORITY	DESCRIPTION	STAGE	WITHIN
25/P/0960/EA1 ↗	North Somerset	Land At Ashton Hill Farm Weston Road Failand BS8 3US Screening Opinion request to determine as to whether proposed development is EIA development. Works proposed: residential development for up to 350 dwellings including 200 sq. m of Class E floorspace, land reserved for educational use, multi model hub, car park, public open space, landscaping, highway and associated infrastructure works and access - THIS IS NOT A PLANNING APPLICATION	APPROVED	200m
25/P/1223/FUL ↗	North Somerset	23 Weston Road Failand BS8 3UR Section 73 application for the variation of condition 2 (approved plans and documents) of permission 21/P/3294/FUH (Expansion of first floor area by replacement/addition of dormers to the front and rear of the main house including a Juliet balcony to the front elevation. Addition of flat roof porch canopy. Plus conversion of existing garages into habitable granny annexe) to allow change of materials from timber cladding to metal cladding	PENDING	500m
19/P/1010/RDC ↗	North Somerset	Q E H Sports Club Clevedon Road Failand BS8 3TN Request to discharge conditions 4, 7, 16 and 17 relating to application 18/P/2593/FU	APPROVED	500m
21/P/0805/AOC ↗	North Somerset	Bristol City Football Club Training Ground Clevedon Road Failand Bristol BS8 3TN Request to discharge condition number 19 (LEMP) on planning application 20/P/2761/FUL	APPROVED	750m

REFERENCE	AUTHORITY	DESCRIPTION	STAGE	WITHIN
<u>22/P/0549/FUL</u> <u>↗</u>	North Somerset	Q E H Sports Club Clevedon Road Failand Long Ashton BS8 3TN Application to vary conditions 9 (floodlights) and 11 (ecology mitigation) attached to permission 18/P/2593/FUL (replacement of grass sports pitches with artificial sports pitches and new tennis/netball courts, to include floodlighting and the erection of storage facilities) to allow for the floodlights serving the 3G football pitch to remain on up to 22:00 and for their use to be throughout the week (no change to timings for floodlights serving the hockey pitch)	APPROVED	750m
<u>17/P/5424/FUL</u> <u>↗</u>	North Somerset	Land To The East Of QEH Sports Club Clevedon Road Failand Proposed football training facility including the erection of a new pavilion building, formation of grass pitches and associated site re-contouring, provision of flood lighting columns, the erection of a groundsmans store, the provision of a new access to the B3128, landscaping works, car parking and other ancillary development	APPROVED	750m
<u>20/P/2761/FUL</u> <u>↗</u>	North Somerset	Bristol City Football Club Training Ground Clevedon Road Failand Bristol BS8 3TN Removal of conditions 5 (External illumination details) and Condition 6 (Site Entrance Visibility) of permission 17/P/5424/FUL (Proposed football training facility including the erection of a new pavilion building, formation of grass pitches and associated site re-contouring, provision of flood lighting columns, the erection of a groundsmans store, the provision of a new access to the B3128, landscaping works, car parking and other ancillary development) and Variation of condition 2 (approved plans) with the submission of revised drawings	APPROVED	750m

Planning Applications

SUMMARY ↑

Small Scale Developments

Small Scale Developments includes relevant planning applications categorised as either small or medium. Small planning applications are proposals for things like an extension to or renovation of a single dwelling. Medium planning applications are proposals concerning 2-5 dwellings. Small infrastructure projects, such as mobile phone masts or small scale (<150kw) renewable energy projects, are also included.

REFERENCE	AUTHORITY	DESCRIPTION	STAGE	WITHIN
19/P/1417/LDP ↗	North Somerset	3 Wraxall Piece Green Lane Failand Bristol BS8 3TW Proposed loft conversion	APPROVED	25m
23/P/2383/NMA ↗	North Somerset	3 Wraxall Piece Non material amendment to application 22/P/0685/FUH (Proposed conversion of the existing attached garage and new pitched roof to existing conservatory with 2no. roof lights. Proposed erection of a new detached double garage.) to allow for the external finish to the proposed garage to be changed from cladding to render and omission of the side store	APPROVED	25m
TEMP/16/2120 ↗	North Somerset	1 wraxall piece green lane failand somerset bs8 3tw t11 elm - fell, t12 ash - fell, t13 ash - fell and t14 ash - fell	OTHER	25m
18/P/3709/FUL ↗	North Somerset	Land At Green Lane Failand Erection of general purpose agricultural building	APPROVED	25m
24/P/0607/FUL ↗	North Somerset	Land West Of Green Lane Failand BS8 3TP Proposed extension of existing agricultural building to the North elevation.	APPROVED	25m

REFERENCE	AUTHORITY	DESCRIPTION	STAGE	WITHIN
18/P/2886/FUL ↗	North Somerset	Land At Green Lane Failand Erection of an agricultural building	WITHDRAWN	25m
16/P/1941/TPO ↗	North Somerset	Land Between B3128 And 1 Wraxall Piece Green Lane Failand BS8 3TW T11 elm - fell, T12 ash - fell, T13 ash - fell and T14 ash - fell	REFUSED	25m
25/P/0772/ELO ↗	North Somerset	Land Of Green Lane Winford Notification of proposed development to replace 1no. pole and add 1no. new pole adjacent to replacement on National Grid Electricity Distribution (NGED) existing overhead LZ line THIS IS NOT A PLANNING APPLICATION.	APPROVED	50m
16/P/2090/F ↗	North Somerset	47A Weston Road Failand Wraxall BS8 3UR Erection of a two storey extension to rear elevation and raise roof height to create first floor living space	APPROVED	100m
18/P/5034/FUH ↗	North Somerset	11 Manor Way Failand Bristol BS8 3UY Alterations and first floor extension with partial new roof to existing bungalow.	APPROVED	100m
16/P/1706/F ↗	North Somerset	Bristol & Clifton Golf Club Beggar Bush Lane Failand BS8 3TH Erection of a retail unit and office building to include new landscaping following the demolition of the existing retail unit and redundant dwelling. Proposed single storey extension to the north elevation of the trolley store	APPROVED	500m

Homebuyer Guidance

Potential next steps based on your Martello report. You may choose to take different or additional steps.

RADON ↑



RADON

Ask the seller's conveyancer whether any radon protection measures have been installed at the property.

Full radon protective measures are required and should be in place at the property. Consult [UKradon](#) for further guidance.

CLIMATE CHANGE ↑



COASTAL EROSION SUSCEPTIBILITY



SHRINK SWELL



WILDFIRE



DROUGHT



HEAT STRESS



FLOODING



COASTAL EROSION EXTENT (SHORELINE MANAGEMENT PLANS)



COASTAL EROSION EXTENT (NO FUTURE INTERVENTION)

Recommend to the property owner that they may want to consider their retrofitting options. For a personalised retrofit report, please visit <https://martello.greenval.co.uk/>

Create defensible space, trimming trees, and installing fire sprinklers. Investigate any financial assistance programs offered by local authorities for fire mitigation measures.

Avoid wood shake roofs and vinyl siding, which melt or ignite easily.

Consider features like self-closing vents, double-paned windows, and ember guards on chimneys. Consider fire regulated doors, and ensure that all fire alarms are connected and fully working.

Check with insurance companies about fire insurance availability.

Learn about the resources available from your local fire department. Do they offer fire safety inspections or educational programs for residents? Ask them how close have previous fires come to the property? How frequently have wildfires occurred? Familiarise yourself with the community's evacuation plan in case of wildfire.

Ensure the property has a reliable water source, especially if it relies on private supplies like wells or boreholes. Consider how resilient these sources are during extended dry periods, and whether additional infrastructure (e.g., deeper wells) may be required.

Look for homes that use drought-resistant materials and designs. Homes built with heat-reflective roofing, proper insulation, and drought tolerant landscaping can help manage heat and reduce water needs during dry periods.

Properties in clay-rich soils are more vulnerable to subsidence during droughts as the ground can shrink when dry. Review the property's history, and consult surveyors or specialists to assess the risk and potential need for future repairs.

Research local water usage regulations, especially during drought periods. Some areas may enforce strict water restrictions that could impact daily living and property maintenance, such as limits on garden watering or car washing.

Consider properties that already have or can be retrofitted with rainwater harvesting systems. These systems capture rainwater for non-drinking purposes like irrigation and toilet flushing, reducing reliance on external water sources during dry spells.

Important Consumer Protection Information

This search has been produced by MyNestBox Limited (trading as Martello), 3 Wraxall Piece, Green Lane, Failand, Bristol, BS8 3TW, hello@martello.app which is registered with the Property Codes Compliance Board (PCCB) as a subscriber to the Search Code. The PCCB independently monitors how registered search firms maintain compliance with the Code.

THE SEARCH CODE

- Provides protection for homebuyers, sellers, estate agents, conveyancers and mortgage lenders who rely on the information included in property search reports undertaken by subscribers on residential and commercial property within the United Kingdom.
- Sets out minimum standards which firms compiling and selling search reports must meet.
- Promotes the best practice and quality standards within the industry for the benefit of consumers and property professionals.
- Enables consumers and property professionals to have confidence in firms which subscribe to the code, their products and services

By giving you this information, MyNestBox Limited (trading as Martello) is confirming that they keep to the principles of the Code. This provides important protection for you.

THE CODE'S CORE PRINCIPLES

Firms which subscribe to the Search Code will:

- Display the Search Code logo prominently on their search reports.
- Act with integrity and carry out work with due skill, care and diligence.
- At all times maintain adequate and appropriate insurance to protect consumers.
- Conduct business in an honest, fair and professional manner.
- Handle complaints speedily and fairly.
- ensure that products and services comply with industry registration rules and standards and relevant laws.
- Monitor their compliance with the Code.

COMPLAINTS PROCEDURE

MyNestBox Limited (trading as Martello) is registered with the Property Codes Compliance Board as a subscriber to the Search Code. A key commitment under the Code is that firms will handle any complaints both speedily and fairly. If you want to make a complaint, we will:

- Acknowledge it within 5 working days of receipt.
- Normally deal with it fully and provide a final response, in writing, within 20 working days of receipt.
- Keep you informed by letter, telephone or e-mail, as you prefer if we need more time.
- Provide a final response, in writing, at the latest within 40 working days of receipt.
- Liaise, at your request, with anyone acting formally on your behalf.

If you are not satisfied with our final response, or if we exceed the response timescales, you may refer the complaint to The Property Ombudsman scheme (TPOs): Tel: 01722 333306, <https://www.tpos.co.uk> email: admin@tpos.co.uk
We will co-operate fully with the Ombudsman during an investigation and comply with his final decision.

Complaints should be sent to:
Head of Business Operations
MyNestBox Limited
3 Wraxall Piece, Green Lane, Failand, Bristol BS8 3TW
Tel: 01172 395 282
support@martello.app

You can get more information about the PCCB from
www.propertycodes.org.uk.

PLEASE ASK YOUR SEARCH PROVIDER IF YOU WOULD LIKE A COPY OF THE
SEARCH CODE

Important Consumer Protection Information

PURPOSE OF THIS REPORT

This is a residential report, all of our findings assume that this property is being purchased as a residential property with no agricultural use or planned change of use or significant alterations to the property. Lenders may impose additional conditions or refuse mortgages on properties which have been identified as having high environmental risks. Buyers should always confirm lending conditions before accepting an offer.

BGS DISCLAIMER

Some of the responses contained herein are based on data and information provided by the United Kingdom Research and Innovation (UKRI) or its component body the British Geological Survey (BGS). Your use of any information contained herein which is derived from or based upon such data and information is at your own risk. Neither UKRI nor BGS gives any warranty, condition or representation as to the quality, accuracy or completeness of such information and all liability (including liability for negligence) arising from its use is excluded to the fullest extent permitted by law.

FLOOD RE SCHEME

Flood Re is a government initiative aimed at making flood insurance more accessible and affordable for homeowners in flood-prone areas. If a property is at high risk of flooding, insurers may transfer the flood risk part of the policy to Flood Re, ensuring that coverage remains available and affordable even after a flood event. However, eligibility for Flood Re is limited whereby properties built after 1 January 2009, certain buy-to-let homes, and those with more than four residential units do not qualify. Additionally, not all insurers work with Flood Re, so it's important to review options from different providers to ensure flood cover is included. For full eligibility details, please visit the [Flood Re website](#).

COAL AUTHORITY DISCLAIMER

This report contains Data provided by the Mining Remediation Authority. Any and all analysis and interpretation of Mining Remediation Authority Data in this report is made by MyNestBox Limited (trading as Martello), and is in no way supported, endorsed or authorised by the Mining Remediation Authority. The use of the data is restricted to the terms and provisions contained in this report. Data reproduced in this report may be the copyright of the Mining Remediation Authority and permission should be sought from MyNestBox Limited (trading as Martello) prior to any re-use.

Important Consumer Protection Information

REPORT SIGN OFF STATEMENT

I have reviewed the data, methodology and quality of Martello's Report and hereby certify that it meets the requirements of the PCCB Compliance Notes on Environmental Reports and Flooding, the Law Society Practice Notes on Contaminated Land, Flooding, and Climate Change. All Contaminated Land sections have been assessed in accordance with Part 2A of the Environmental Protection Act 1990, using the Source-Pathway-Receptor model to evaluate potential environmental risks. The report has been prepared by Martello using a methodology and risk framework I have developed and oversee. As a Suitably Qualified Person under the SiLC scheme, with extensive expertise in environmental risk assessment and contaminated land evaluation, I have signed off this report as compliant with applicable professional standards. Please note that a negative search result does not confirm that the property is free from contamination, unless explicitly stated.

A handwritten signature in black ink, appearing to read 'Chris Taylor', followed by a period.

Chris Taylor, BSc.Hons, MSc, SiLC

Important Consumer Protection Information

ABOUT PLANNING APPLICATIONS DATA

The planning datasets provide a robust representation of the planning application history around the property. We use several data providers, including LandHawk, Planning Pipe, and manual checks of Local Authority portals, to confirm accuracy. However, our data reflects the status at the time of this report's production, as the planning application process is dynamic and subject to change.

If your property purchase relies on planning proposals in the local area that may impact your decision to buy, we recommend contacting the Planning Department at the relevant Local Authority to stay updated on proposed developments.

While we strive to ensure the accuracy and completeness of the data obtained from third-party providers, Martello cannot guarantee that such data is free from errors, omissions, or inaccuracies. However, should you have concerns or issues related to the planning data included in this report, we are committed to assisting you.

Though Martello shall not be liable for losses or damages incurred by the client or beneficiary arising from third-party data inaccuracies, if you have any queries or concerns with any of the data in this report please contact support@martello.app and we will ensure that the matter is resolved appropriately and to your satisfaction.